

SELECT[®]

Designed Innovatively

IS : 8034
IS : 8472



CML- 8780601
CML- 8798822

▶ go with the flow

- MONOBLOCK PUMPS
- SUBMERSIBLE PUMPS
- DOMESTIC PUMPS
- ELECTRIC MOTORS
- SHALLOW WELL PUMPS



Together we will make it Big
South Delhi - B Cor. P.D. # 51241

**SELECT
PUMPS**go with the flow

SUBMERSIBLE PUMPS:

These Pumpsets are manufactured under the supervision of highly qualified and experienced engineers to keep up the quality as per ISI Specification. The Pumpset is very well designed for higher efficiency, smooth and vibration free working so that they can provide long & durable services.

IS : 8034

CM/L- 8798822



TECHNICAL SPECIFICATIONS:

PARTICULARS:	Submersible Pumps (Oil Filled & Water Filled)	
	(Single Phase)	(Three Phase)
Power Range:	0.5 HP to 3.0 HP	1.0 HP to 7.5 HP
Supply:	240 V, 50 Hz	415 V, 50 Hz
Speed:	2800 rpm	2800 rpm
Discharge Range:	16 LPM to 400 LPM	16 LPM to 400 LPM
Total Head Range:	6 M to 250 M	6 M to 250 M
Pipe Size:	32 mm, 38 mm, 50 mm	32 mm, 38 mm, 50 mm

ELECTRIC MOTORS:

These Motors are built with robust construction and are ideally suited to perform in difficult operating conditions. The motors are tested against torque and speed in order to ensure superior performance. These products are highly appreciated for their effectual performance and longer life span and find application in Agricultural, Household and various Industrial sectors.

TECHNICAL SPECIFICATIONS:

PARTICULARS:	Electric Motors (Cast Iron Body & Sheet Body)	
	(Single Phase)	(Three Phase)
Power Range:	0.5 HP to 5.0 HP	1.0 HP to 15.0 HP
Supply:	240 V, 50 Hz	415 V, 50 Hz
Speed:	1400 rpm	1400 rpm
Insulation:	A/B	A/B/F
Mounting:	Foot Mounted	Foot Mounted




Manufactured By:

JAGGI INDUSTRIES

B-62, Mayapuri Industrial Area, Phase-II, New Delhi-110064 (India)
E-mail : jaggiindustries@gmail.com
Website : www.jaggiindustries.com

Dealer / Distributor



The logo for SELECT PUMPS, featuring the word "SELECT" in white on a blue background above the word "PUMPS" in orange on a white background, all enclosed in a blue rounded rectangle.The slogan "go with the flow" in a stylized font, with "go" in white and "with the flow" in blue, set against a background of blue water splashes.

ABOUT US:

Incepted in the year 1994, **JAGGI INDUSTRIES** is one of the prominent manufacturers and suppliers of high quality Self Priming Monoblock Pumps, Shallow-Well Pumps, Submersible Pumps & Electric Motors. Our company follows stringent quality measures to achieve excellence in manufacturing of all the products. With strategically located production facilities, cutting edge technology, constantly innovating R&D and stringent quality control, we have set our own standards.

Our manufacturing unit is equipped with all kinds of heavy machineries, tools and devices that enable us to carry out smooth production within the stipulated time period. All the Testing and Quality control instruments that are required to measure the quality parameters are available in the unit. We have an adequate procedure at each stage that is design, development, procurement, manufacturing, testing, installation, marketing and feedback information of performance and training of employees.

We incorporate latest technology of international standards for our wide range of products. Each of our products goes through various tests, conducted by a team of qualified engineers & technicians at our fully equipped latest technical laboratory, as per ISI standards. This has made our products stand apart on the basis of their performance, durability & quality standards. Constant innovation in terms of products and manufacturing techniques gives us a leading edge over our competitors.


PRODUCT RANGE:


Built with precision and based on latest technology, we offer a comprehensive range of products that include:

- Shallow Well Pumps
- Self Priming Monoblock Pumps
- Centrifugal Pumps
- Submersible Pumps
- Domestic Pumps
- Electric Motors

SHALLOW- WELL PUMPS:


These pumps are manufactured using latest technological development with built in accuracy and peak performance. The pumpset is engineered to perfection with utmost care and stringent quality control at all stages to ensure a trouble free service. It is optimally designed for higher efficiency in wide range of operations. These are high performance pumps as compared to conventional centrifugal and mini monoset pumps because of their unique design & non overloading characteristics.





SELF PRIMING MONOBLOCK PUMPS:

These pumps are high performance pumps manufactured with strict quality control for years of efficient & reliable operation. The pump is compact, economical and simple to use. These pumps are reckoned for their durability and energy efficiency in households as well as commercial setups.



PERFORMANCE CHART:

MODEL NAME:	kW/HP	Max. Current (Amp)	Pipe Size (mm)	Total Head in Meters								
				6	12	18	24	30	36	42	48	
Discharge in Litres per hour (LPH)												
MINISTAR	0.37/0.5	3.0	25 x 25	2000	1560	1120	750	450	-	-	-	-
SUPER FLOW	0.37/0.5	3.0	25 x 25	2250	1800	1290	900	570	-	-	-	-
PRIME	0.37/0.5	3.0	25 x 25	2570	2250	1630	1200	730	190	-	-	-
POWER FLOW	0.75/1.0	4.0	25 x 25	2770	2400	1800	1290	840	380	-	-	-
SUPREME	0.82/1.1	6.5	25 x 25	3270	3100	2570	2120	1710	1330	950	560	-
EXCLUSIVE	0.75/1.0	6.0	25 x 25	3420	3250	2740	2250	1830	1410	1050	640	-
SUCTION KING	0.75/1.0	6.0	25 x 25	3000	2770	2400	2180	1890	1500	1090	710	-
SUPER SUCTION	0.75/1.0	6.5	25 x 25	2400	2120	1800	1500	1240	1000	690	-	-
SHALLOW WELL- I	0.75/1.0	6.0	25 x 25	2570	2570	2570	1800	1000	-	-	-	-
SHALLOW WELL- II	1.12/1.5	7.0	25 x 25	2770	2770	2770	2650	1800	780	-	-	-
SHALLOW WELL- III	0.37/0.5	3.0	25 x 25	1800	1640	800	-	-	-	-	-	-

NOTE: 1) All performance data & technical specifications given above are based on our lab tests conducted at rated supply of 240 V, 50 Hz.

2) Due to continuous efforts in improvements, information furnished above is subject to change without notice.